

## **2.1 Euro Clear ACL1310-4**

Recommended mixing ratio 2:1: ½

At 2:1 the vis is 20 sec. At 2:1: ½ the vis is 16 sec

At 20 sec Euro Clear does not work well through a 1.3 tip.  
It comes out dry looking.

At 2:1:1/2 vis. is 16 sec and it will look very nice!

If sanding and buffing, apply 3 coats of clear for long term durability.

Use Overall Activator at 85° & higher

***Robert Coker***

***Technical Representative***

***Vogel Automotive Coatings***

***606-304-1238***