

# SAFETY DATA SHEET

Revision Date 18-May-2015

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** 2.1 VOC 2K Gray Primer-Sealer (Pt A)

### Other means of identification

**Product Code** APR-1376-1  
**UN/ID no.** UN1263  
**SKU(s)** APR-1376-1, APR-1376-4

### Recommended use of the chemical and restrictions on use

**Recommended Use** No information available.  
**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Vogel Automotive Coatings  
1020 Albany Place SE  
Orange City, IA 51041  
Phone: 712-737-4993  
Fax: 712-737-4997

### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|  |             |
|--|-------------|
| Serious eye damage/eye irritation                | Category 2  |
| Germ cell mutagenicity                           | Category 1B |
| Carcinogenicity                                  | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3  |
| Flammable liquids                                | Category 2  |

### Emergency Overview

#### **Danger**

#### **Hazard statements**

Causes serious eye irritation  
May cause genetic defects  
May cause cancer  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor



**Appearance** No information available

**Physical state** liquid

**Odor** No information available

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Keep cool  
 Use explosion-proof electrical/ ventilating/ lighting/ equipment

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other Information**

• Toxic to aquatic life with long lasting effects  
 Unknown acute toxicity 24.36% of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name              | CAS No.    | Weight-% | Trade Secret |
|----------------------------|------------|----------|--------------|
| Parachlorobenzotrifluoride | 98-56-6    | 10 - 30  | *            |
| Talc (powder)              | 14807-96-6 | 10 - 30  | *            |
| Acetone                    | 67-64-1    | 10 - 30  | *            |
| Butyl Acetate              | 123-86-4   | 5 - 10   | *            |
| Titanium dioxide           | 13463-67-7 | 5 - 10   | *            |
| Calcium carbonate          | 1317-65-3  | 5 - 10   | *            |
| Aromatic 100               | 64742-95-6 | 0.1 - 1  | *            |
| Aromatic 150               | 64742-94-5 | 0.1 - 1  | *            |
| Carbon Black               | 1333-86-4  | 0.1 - 1  | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****Description of first aid measures****General advice**

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

|  |   |
|--|---|
| <b>Eye contact</b>   | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. |
| <b>Skin Contact</b>  | Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.   |
| <b>Inhalation</b>  | Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.                 |
| <b>Ingestion</b>   | Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.  |
| <b>Self-protection of the first aider</b>  | Use personal protective equipment as required.  |
| <b><u>Most important symptoms and effects, both acute and delayed</u></b>                |   |
| <b>Symptoms</b>  | No information available.   |
| <b><u>Indication of any immediate medical attention and special treatment needed</u></b> |   |
| <b>Note to physicians</b>  | Treat symptomatically.  |

## 5. FIRE-FIGHTING MEASURES

### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific hazards arising from the chemical**

Extremely flammable.

#### **Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment as required. Remove all sources of ignition.

### **Environmental precautions**

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### **Advice on safe handling**

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

#### **Incompatible materials**

Strong acids. Strong oxidizing agents. Chlorinated compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

| Chemical Name                         | ACGIH TLV  | OSHA PEL   | NIOSH IDLH  |
|---------------------------------------|--|--|---|
| Parachlorobenzotrifluoride<br>98-56-6 | TWA: 2.5 mg/m <sup>3</sup> F   | TWA: 2.5 mg/m <sup>3</sup> F<br>TWA: 2.5 mg/m <sup>3</sup> dust<br>(vacated) TWA: 2.5 mg/m <sup>3</sup>  | -   |
| Talc (powder)<br>14807-96-6           | TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction | (vacated) TWA: 2 mg/m <sup>3</sup> respirable dust <1% Crystalline silica, containing no Asbestos<br>TWA: 20 mppcf if 1% Quartz or more, use Quartz limit  | IDLH: 1000 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> containing no Asbestos and <1% Quartz respirable dust  |
| Acetone<br>67-64-1                    | STEL: 500 ppm<br>TWA: 250 ppm  | TWA: 1000 ppm<br>TWA: 2400 mg/m <sup>3</sup><br>(vacated) TWA: 750 ppm<br>(vacated) TWA: 1800 mg/m <sup>3</sup><br>(vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors<br>(vacated) STEL: 1000 ppm | IDLH: 2500 ppm<br>TWA: 250 ppm<br>TWA: 590 mg/m <sup>3</sup>  |
| Butyl Acetate<br>123-86-4             | STEL: 200 ppm<br>TWA: 150 ppm  | TWA: 150 ppm<br>TWA: 710 mg/m <sup>3</sup><br>(vacated) TWA: 150 ppm<br>(vacated) TWA: 710 mg/m <sup>3</sup><br>(vacated) STEL: 200 ppm<br>(vacated) STEL: 950 mg/m <sup>3</sup>   | IDLH: 1700 ppm<br>TWA: 150 ppm<br>TWA: 710 mg/m <sup>3</sup><br>STEL: 200 ppm<br>STEL: 950 mg/m <sup>3</sup>  |
| Titanium dioxide<br>13463-67-7        | TWA: 10 mg/m <sup>3</sup>  | TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust   | IDLH: 5000 mg/m <sup>3</sup>  |
| Calcium carbonate<br>1317-65-3        | -  | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction   | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust  |
| Carbon Black<br>1333-86-4             | TWA: 3 mg/m <sup>3</sup> inhalable fraction  | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup>   | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH |

NIOSH IDLH *Immediately Dangerous to Life or Health*

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** No special technical protective measures are necessary.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

|                       |                          |                       |                          |
|-----------------------|--------------------------|-----------------------|--------------------------|
| <b>Physical state</b> | liquid                   | <b>Odor</b>           | No information available |
| <b>Appearance</b>     | No information available | <b>Odor threshold</b> | No information available |
| <b>Color</b>          | No information available |                       |                          |

| <u>Property</u>               | <u>Values</u>            | <u>Remarks • Method</u> |
|-------------------------------|--------------------------|-------------------------|
| pH                            | No information available |                         |
| Melting point/freezing point  | No information available |                         |
| Boiling point / boiling range | >= 56 °C / 133 °F        |                         |
| Flash point                   | -17 °C / 1 °F            |                         |
| Evaporation rate              | No information available |                         |
| Flammability (solid, gas)     | No information available |                         |
| Flammability Limit in Air     |                          |                         |
| Upper flammability limit:     | No information available |                         |
| Lower flammability limit:     | No information available |                         |
| Vapor pressure                | No information available |                         |
| Vapor density                 | No information available |                         |
| Specific Gravity              | 1.34                     |                         |
| Water solubility              | No information available |                         |
| Solubility in other solvents  | No information available |                         |
| Partition coefficient         | No information available |                         |
| Autoignition temperature      | No information available |                         |
| Decomposition temperature     | No information available |                         |
| Kinematic viscosity           | No information available |                         |
| Dynamic viscosity             | No information available |                         |
| Explosive properties          | No information available |                         |
| Oxidizing properties          | No information available |                         |

**Other Information**

|                            |                          |
|----------------------------|--------------------------|
| Softening point            | No information available |
| Molecular weight           | No information available |
| VOC Content (%)            | No information available |
| Density                    | 11.17 lbs/gal            |
| Bulk density               | No information available |
| Percent solids by weight   | 48.8%                    |
| Percent volatile by weight | 10.6%                    |
| Percent solids by volume   | 35.1%                    |
| Actual VOC (lbs/gal)       | 1.2                      |
| Actual VOC (grams/liter)   | 141.2                    |
| EPA VOC (lbs/gal)          | 2.4                      |
| EPA VOC (grams/liter)      | 284.1                    |

EPA VOC (lb/gal solids) 3.4

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Strong acids. Strong oxidizing agents. Chlorinated compounds.

**Hazardous Decomposition Products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

|                            |                    |
|----------------------------|--------------------|
| <b>Product Information</b> | No data available  |
| <b>Inhalation</b>          | No data available. |
| <b>Eye contact</b>         | No data available. |
| <b>Skin Contact</b>        | No data available. |
| <b>Ingestion</b>           | No data available. |

| Chemical Name                         | Oral LD50             | Dermal LD50              | Inhalation LC50                       |
|---------------------------------------|-----------------------|--------------------------|---------------------------------------|
| Parachlorobenzotrifluoride<br>98-56-6 | = 13 g/kg ( Rat )     | > 2 mL/kg ( Rabbit )     | = 33 mg/L ( Rat ) 4 h                 |
| Acetone<br>67-64-1                    | = 5800 mg/kg ( Rat )  | -                        | = 50100 mg/m <sup>3</sup> ( Rat ) 8 h |
| Butyl Acetate<br>123-86-4             | = 10768 mg/kg ( Rat ) | > 17600 mg/kg ( Rabbit ) | = 390 ppm ( Rat ) 4 h                 |
| Titanium dioxide<br>13463-67-7        | > 10000 mg/kg ( Rat ) | -                        | -                                     |
| Aromatic 100<br>64742-95-6            | = 8400 mg/kg ( Rat )  | > 2000 mg/kg ( Rabbit )  | = 3400 ppm ( Rat ) 4 h                |
| Aromatic 150<br>64742-94-5            | > 5000 mg/kg ( Rat )  | > 2 mL/kg ( Rabbit )     | > 590 mg/m <sup>3</sup> ( Rat ) 4 h   |
| Carbon Black<br>1333-86-4             | > 15400 mg/kg ( Rat ) | > 3 g/kg ( Rabbit )      | -                                     |

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
|---------------|-------|------|-----|------|

|                                |    |          |   |   |
|--------------------------------|----|----------|---|---|
| Talc (powder)<br>14807-96-6    | -  | Group 3  | - | - |
| Titanium dioxide<br>13463-67-7 | -  | Group 2B | - | X |
| Carbon Black<br>1333-86-4      | A3 | Group 2B | - | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

|                                 |   |
|---------------------------------|---|
| <b>Reproductive toxicity</b>    | No information available.   |
| <b>STOT - single exposure</b>   | No information available.   |
| <b>STOT - repeated exposure</b> | No information available.   |
| <b>Target Organ Effects</b>     | Central nervous system, Central Vascular System (CVS), Eyes, lungs, Respiratory system, Skin. |
| <b>Aspiration hazard</b>        | No information available.   |

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg mg/l

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects

15.73% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name                         | Algae/aquatic plants                          | Fish  | Crustacea  |
|---------------------------------------|---|---|--|
| Parachlorobenzotrifluoride<br>98-56-6 | -   | 11.5 - 15.8: 48 h Lepomis macrochirus mg/L LC50 static  | 3.68: 48 h Daphnia magna mg/L EC50   |
| Talc (powder)<br>14807-96-6           | -   | 100: 96 h Brachydanio rerio g/L LC50 semi-static  | -  |
| Acetone<br>67-64-1                    | -   | 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50   | 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50 |
| Butyl Acetate<br>123-86-4             | 674.7: 72 h Desmodesmus subspicatus mg/L EC50 | 100: 96 h Lepomis macrochirus mg/L LC50 static 17 - 19: 96 h Pimephales promelas mg/L LC50 flow-through 62: 96 h Leuciscus idus mg/L LC50 static  | 72.8: 24 h Daphnia magna mg/L EC50   |
| Aromatic 100<br>64742-95-6            | -   | 9.22: 96 h Oncorhynchus mykiss mg/L LC50  | 6.14: 48 h Daphnia magna mg/L EC50   |
| Aromatic 150<br>64742-94-5            | 2.5: 72 h Skeletonema costatum mg/L EC50      | 19: 96 h Pimephales promelas mg/L LC50 static 2.34: 96 h Oncorhynchus mykiss mg/L LC50 1740: 96 h Lepomis macrochirus mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through 41: 96 h Pimephales promelas mg/L LC50 | 0.95: 48 h Daphnia magna mg/L EC50   |
| Carbon Black<br>1333-86-4             | -   | -   | 5600: 24 h Daphnia magna mg/L EC50   |

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|---------------|-----------------------|
|---------------|-----------------------|

|                                       |           |
|---------------------------------------|-----------|
| Parachlorobenzotrifluoride<br>98-56-6 | 3.7       |
| Acetone<br>67-64-1                    | -0.24     |
| Butyl Acetate<br>123-86-4             | 1.81      |
| Aromatic 150<br>64742-94-5            | 2.9 - 6.1 |

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** D001 U002 U055 U165 U239

| Chemical Name      | RCRA | RCRA - Basis for Listing          | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--------------------|------|-----------------------------------|------------------------|------------------------|
| Acetone<br>67-64-1 | -    | Included in waste stream:<br>F039 | -                      | U002                   |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name             | California Hazardous Waste Status |
|---------------------------|-----------------------------------|
| Acetone<br>67-64-1        | Ignitable                         |
| Butyl Acetate<br>123-86-4 | Toxic                             |

**14. TRANSPORT INFORMATION**

**DOT**

UN/ID no. UN1263  
 Proper shipping name Paint  
 Subsidiary class 3  
 Packing Group II  
 Special Provisions 149, B52, IB2, T4, TP1, TP8, TP28  
 Description UN1263, Paint, (3), II  
 Emergency Response Guide Number 128

**TDG**

UN/ID no. UN1263  
 Proper shipping name Paint  
 Hazard Class 3  
 Packing Group II  
 Description UN1263, Paint, 3, II

**MEX**

UN/ID no. UN1263  
 Proper shipping name Paint  
 Hazard Class 3  
 Packing Group II  
 Description UN1263, Paint, 3, II

**ICAO (air)**



|                             |                      |
|-----------------------------|----------------------|
| <b>UN/ID no.</b>            | UN1263               |
| <b>Proper shipping name</b> | Paint                |
| <b>Hazard Class</b>         | 3                    |
| <b>Packing Group</b>        | II                   |
| <b>Special Provisions</b>   | A3, A72              |
| <b>Description</b>          | UN1263, Paint, 3, II |

**IATA**

|                             |                      |
|-----------------------------|----------------------|
| <b>UN/ID no.</b>            | UN1263               |
| <b>Proper shipping name</b> | Paint                |
| <b>Hazard Class</b>         | 3                    |
| <b>Packing Group</b>        | II                   |
| <b>ERG Code</b>             | 3L                   |
| <b>Special Provisions</b>   | A3, A72              |
| <b>Description</b>          | UN1263, Paint, 3, II |

**IMDG**

|                             |                      |
|-----------------------------|----------------------|
| <b>UN/ID no.</b>            | UN1263               |
| <b>Proper shipping name</b> | Paint                |
| <b>Hazard Class</b>         | 3                    |
| <b>Packing Group</b>        | II                   |
| <b>EmS-No.</b>              | F-E, S-E             |
| <b>Special Provisions</b>   | 163                  |
| <b>Description</b>          | UN1263, Paint, 3, II |

**RID**

|                             |                      |
|-----------------------------|----------------------|
| <b>UN/ID no.</b>            | UN1263               |
| <b>Proper shipping name</b> | Paint                |
| <b>Hazard Class</b>         | 3                    |
| <b>Packing Group</b>        | II                   |
| <b>Classification code</b>  | F1                   |
| <b>Description</b>          | UN1263, Paint, 3, II |

**ADR**

|                                |                             |
|--------------------------------|-----------------------------|
| <b>UN/ID no.</b>               | UN1263                      |
| <b>Proper shipping name</b>    | Paint                       |
| <b>Hazard Class</b>            | 3                           |
| <b>Packing Group</b>           | II                          |
| <b>Classification code</b>     | F1                          |
| <b>Tunnel restriction code</b> | (D/E)                       |
| <b>Special Provisions</b>      | 163, 640C, 650              |
| <b>Description</b>             | UN1263, Paint, 3, II, (D/E) |
| <b>Labels</b>                  | 3                           |

**ADN**

|                              |                      |
|------------------------------|----------------------|
| <b>Proper shipping name</b>  | Paint                |
| <b>Hazard Class</b>          | 3                    |
| <b>Packing Group</b>         | II                   |
| <b>Classification code</b>   | F1                   |
| <b>Special Provisions</b>    | 163, 640C, 650       |
| <b>Description</b>           | UN1263, Paint, 3, II |
| <b>Hazard label(s)</b>       | 3                    |
| <b>Limited quantity (LQ)</b> | 5 L                  |
| <b>Ventilation</b>           | VE01                 |

|                                   |
|-----------------------------------|
| <b>15. REGULATORY INFORMATION</b> |
|-----------------------------------|

**International Inventories**

|                      |                   |
|----------------------|-------------------|
| <b>TSCA</b>          | Complies          |
| <b>DSL/NDL</b>       | Complies *        |
| <b>EINECS/ELINCS</b> | Complies *        |
| <b>ENCS</b>          | Does not comply * |
| <b>IECSC</b>         | Complies *        |

|       |            |
|-------|------------|
| KECL  | Complies * |
| PICCS | Complies * |
| AICS  | Complies * |

\* This product contains an unknown chemical, therefore, this product's compliance to the inventory list is NOT DETERMINED

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

##### SARA 311/312 Hazard Categories

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | No  |
| Fire hazard                       | Yes |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

##### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name             | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Butyl Acetate<br>123-86-4 | 5000 lb                     | -                      | -                         | X                          |

##### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name             | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                   |
|---------------------------|--------------------------|----------------|--|
| Acetone<br>67-64-1        | 5000 lb                  | -              | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |
| Butyl Acetate<br>123-86-4 | 5000 lb                  | -              | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |

#### US State Regulations

##### California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name                   | California Proposition 65 |
|---------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7   | Carcinogen                |
| Carbon Black - 1333-86-4        | Carcinogen                |
| Crystalline Silica - 14808-60-7 | Carcinogen                |
| Naphthalene - 91-20-3           | Carcinogen                |
| Cumene - 98-82-8                | Carcinogen                |

##### U.S. State Right-to-Know Regulations

| Chemical Name                         | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| Parachlorobenzotrifluoride<br>98-56-6 | X          | -             | X            |

|                                  |   |   |   |
|----------------------------------|---|---|---|
| Talc (powder)<br>14807-96-6      | X | X | X |
| Acetone<br>67-64-1               | X | X | X |
| Butyl Acetate<br>123-86-4        | X | X | X |
| Titanium dioxide<br>13463-67-7   | X | X | X |
| Calcium carbonate<br>1317-65-3   | X | X | X |
| Carbon Black<br>1333-86-4        | X | X | X |
| Crystalline Silica<br>14808-60-7 | X | X | X |
| Naphthalene<br>91-20-3           | X | X | X |
| Xylene<br>1330-20-7              | X | X | X |
| Cumene<br>98-82-8                | X | X | X |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**Hazardous air pollutants (HAPS) content**

This product contains no reportable Hazardous Air Pollutants

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

|             |                    |                |                    |                                    |
|-------------|--------------------|----------------|--------------------|------------------------------------|
| <b>NFPA</b> | Health hazards 2   | Flammability 3 | Instability 0      | Physical and Chemical Properties - |
| <b>HMIS</b> | Health hazards 2 * | Flammability 3 | Physical hazards 0 | Personal protection X              |

Chronic Hazard Star Legend \* = Chronic Health Hazard

Revision Date 18-May-2015

Revision Note  
No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Shipping information may vary based upon container size and shipping destination. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. The manufacturer assumes no responsibility for injury to the recipient or third persons, or for any damages to any property resulting from misuse of the product.

**End of Safety Data Sheet**